

RN689@RINENGSOALR.COM WWW.RINENGSOALR.COM

XIAMEN EXW PRICE(USD/set)

NO.	Pattern	PHOTOS	Parameter		Quantity	usd/set
1	RNSOLAR-001A		Solar Panel	(6V 8W Solar panel)*235*350mm	1set	12.00
			Battery	3.2V 4000MAH battery		
			LED Power	25w		
			Lamp Beads	42 Highlight SMD Lamp Beads		
			Charging Time	4-5H		
			Working Time	12-14H		
			Color Temperature	Nature White-6000~6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	Green/Rose Gold		
			QTY/CTN	10pcs		
			Master Carton Dimension	Lamp body size:45*29.5*20cm Solar panel 39.5*28*26cm		
			G.W/Pcs	2.5kg		
Warranty	3 years					
2	RNSOLAR-002A		Solar Panel	(6V10W Solar panel)*235*350mm	1set	13.50
			Battery	3.2V 8000MAH battery		
			LED Power	40w		
			Lamp Beads	72 Highlight SMD Lamp Beads		
			Charging Time	4-5H		
			Working Time	12-14H		
			Color Temperature	Nature White-6000~6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	Green/Rose Gold		
			QTY/CTN	10pcs		
			Master Carton Dimension	Lamp body size:51*34.5*24.5 cm Solar panel 39.5*33.5*33cm		
			G.W/Pcs	3kg		
Warranty	3 years					
3	RNSOLAR-003A		Solar Panel	(6V12W Solar panel)*290*350mm	1set	15.50
			Battery	3.7V 10000MAH battery		
			LED Power	60w		
			Lamp Beads	100 Highlight SMD Lamp Beads		
			Charging Time	4-5H		
			Working Time	12-14H		
			Color Temperature	Nature White-6000~6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	Green/Rose Gold		
			QTY/CTN	10pcs		
			Master Carton Dimension	Lamp body size:55*34.5*26.5cm Solar panel		
			G.W/Pcs	4kg		
Warranty	3 years					
4	RNSOLAR-004A		Solar Panel	(6V 18W Solar panel)*350*460mm	1set	22.50
			Battery	3.2V 20000MAH battery		
			LED Power	100w		
			Lamp Beads	176highlight SMD Lamp Beads		
			Charging Time	4-5H		
			Working Time	12-14H		
			Color Temperature	Nature White-6000~6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	Green/Rose Gold		
			QTY/CTN	5pcs		
			Master Carton Dimension	Lamp body size:69*47*32.5 cm Solar panel		
			G.W/Pcs	4.5kg		
Warranty	3 years					
5	RNSOLAR-005A		Solar Panel	6V18W Mono 450*350mm Monocrystalline silicon	1set	32.50
			Battery	3.2V15AH LifePO battery		
			LED Power	240W		
			Lamp Beads	240		
			Charging Time	4-5H		
			Working Time	12-16H		
			Color Temperature	Nature White-6000~6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	black		
			QTY/CTN	10pcs		
			Master Carton Dimension	Lamp body size:235*260mm Solar panel 350*450mm		
			G.W/Pcs	33kg		
			Solar Panel	6V25W Mono 530*350mm Monocrystalline silicon		
			Battery	3.2V18AH LifePO battery		
			LED Power	360W		
			Lamp Beads	360Particle		
			Charging Time	4-5H		
			Working Time	12-16H		
			Color Temperature	Nature White-6000~6500K		

6	RNSOLAR-006A	RNSOLAR-006A	<table><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP67</td></tr><tr><td>Color</td><td>black</td></tr><tr><td>QTY/CTN</td><td>5pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:330*300mm Solar panel 350*530mm</td></tr><tr><td>G.W/Pcs</td><td>25kg</td></tr></table>	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP67	Color	black	QTY/CTN	5pcs	Master Carton Dimension	Lamp body size:330*300mm Solar panel 350*530mm	G.W/Pcs	25kg	1set	37.50																		
Main Material	Die-casting aluminum+tempered glass																																				
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																				
IP Grade	IP67																																				
Color	black																																				
QTY/CTN	5pcs																																				
Master Carton Dimension	Lamp body size:330*300mm Solar panel 350*530mm																																				
G.W/Pcs	25kg																																				
7	RNSOLAR-007A	 RNSOLAR-007A	<table><tr><td>Solar Panel</td><td>(6V 8W Solar panel)*235*350mm</td></tr><tr><td>Battery</td><td>3.7V 4400MAH battery</td></tr><tr><td>LED Power</td><td>20w</td></tr><tr><td>Lamp Beads</td><td>40 Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>10pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:47*35*32.5cm Solar panel 38*32*38cm</td></tr><tr><td>G.W/Pcs</td><td>2.5kg</td></tr><tr><td>Warranty</td><td>3 years</td></tr></table>	Solar Panel	(6V 8W Solar panel)*235*350mm	Battery	3.7V 4400MAH battery	LED Power	20w	Lamp Beads	40 Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-14H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	10pcs	Master Carton Dimension	Lamp body size:47*35*32.5cm Solar panel 38*32*38cm	G.W/Pcs	2.5kg	Warranty	3 years	1set	13.50		
Solar Panel	(6V 8W Solar panel)*235*350mm																																				
Battery	3.7V 4400MAH battery																																				
LED Power	20w																																				
Lamp Beads	40 Highlight SMD Lamp Beads																																				
Charging Time	4-5H																																				
Working Time	12-14H																																				
Color Temperature	Nature White-6000-6500K																																				
Main Material	Die-casting aluminum+tempered glass																																				
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																				
IP Grade	IP66																																				
Color	Green/Rose Gold																																				
QTY/CTN	10pcs																																				
Master Carton Dimension	Lamp body size:47*35*32.5cm Solar panel 38*32*38cm																																				
G.W/Pcs	2.5kg																																				
Warranty	3 years																																				
8	RNSOLAR-008A	 RNSOLAR-008A	<table><tr><td>Solar Panel</td><td>(6V 10W Solar panel)*235*350mm</td></tr><tr><td>Battery</td><td>3.7V 6600MAH battery</td></tr><tr><td>LED Power</td><td>30w</td></tr><tr><td>Lamp Beads</td><td>60 Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>10pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:47*35*32.5cm Solar panel 38*32*38cm</td></tr><tr><td>G.W/Pcs</td><td>2.8kg</td></tr><tr><td>Warranty</td><td>3 years</td></tr></table>	Solar Panel	(6V 10W Solar panel)*235*350mm	Battery	3.7V 6600MAH battery	LED Power	30w	Lamp Beads	60 Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-14H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	10pcs	Master Carton Dimension	Lamp body size:47*35*32.5cm Solar panel 38*32*38cm	G.W/Pcs	2.8kg	Warranty	3 years	1set	15.00		
Solar Panel	(6V 10W Solar panel)*235*350mm																																				
Battery	3.7V 6600MAH battery																																				
LED Power	30w																																				
Lamp Beads	60 Highlight SMD Lamp Beads																																				
Charging Time	4-5H																																				
Working Time	12-14H																																				
Color Temperature	Nature White-6000-6500K																																				
Main Material	Die-casting aluminum+tempered glass																																				
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																				
IP Grade	IP66																																				
Color	Green/Rose Gold																																				
QTY/CTN	10pcs																																				
Master Carton Dimension	Lamp body size:47*35*32.5cm Solar panel 38*32*38cm																																				
G.W/Pcs	2.8kg																																				
Warranty	3 years																																				
9	RNSOLAR-009A	 RNSOLAR-009A	<table><tr><td>Solar Panel</td><td>(6V 12W Solar panel)*290*350mm</td></tr><tr><td>Battery</td><td>3.7V 8800MAH battery</td></tr><tr><td>LED Power</td><td>50w</td></tr><tr><td>Lamp Beads</td><td>80Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>10pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:59*24.5*29.5cm Solar panel</td></tr><tr><td>G.W/Pcs</td><td>3kg</td></tr><tr><td>Warranty</td><td>3 years</td></tr></table>	Solar Panel	(6V 12W Solar panel)*290*350mm	Battery	3.7V 8800MAH battery	LED Power	50w	Lamp Beads	80Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-14H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	10pcs	Master Carton Dimension	Lamp body size:59*24.5*29.5cm Solar panel	G.W/Pcs	3kg	Warranty	3 years	1set	19.50		
Solar Panel	(6V 12W Solar panel)*290*350mm																																				
Battery	3.7V 8800MAH battery																																				
LED Power	50w																																				
Lamp Beads	80Highlight SMD Lamp Beads																																				
Charging Time	4-5H																																				
Working Time	12-14H																																				
Color Temperature	Nature White-6000-6500K																																				
Main Material	Die-casting aluminum+tempered glass																																				
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																				
IP Grade	IP66																																				
Color	Green/Rose Gold																																				
QTY/CTN	10pcs																																				
Master Carton Dimension	Lamp body size:59*24.5*29.5cm Solar panel																																				
G.W/Pcs	3kg																																				
Warranty	3 years																																				
10	RNSOLAR-010A	 RNSOLAR-010A	<table><tr><td>Solar Panel</td><td>(6V 18W Solar panel)*460*350mm</td></tr><tr><td>Battery</td><td>3.7V 13200MAH battery</td></tr><tr><td>LED Power</td><td>100w</td></tr><tr><td>Lamp Beads</td><td>140Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>5pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:39.5*33.5*33cm Solar panel</td></tr><tr><td>G.W/Pcs</td><td>5kg</td></tr><tr><td>Warranty</td><td>3 years</td></tr></table>	Solar Panel	(6V 18W Solar panel)*460*350mm	Battery	3.7V 13200MAH battery	LED Power	100w	Lamp Beads	140Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-14H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	5pcs	Master Carton Dimension	Lamp body size:39.5*33.5*33cm Solar panel	G.W/Pcs	5kg	Warranty	3 years	1set	30.50		
Solar Panel	(6V 18W Solar panel)*460*350mm																																				
Battery	3.7V 13200MAH battery																																				
LED Power	100w																																				
Lamp Beads	140Highlight SMD Lamp Beads																																				
Charging Time	4-5H																																				
Working Time	12-14H																																				
Color Temperature	Nature White-6000-6500K																																				
Main Material	Die-casting aluminum+tempered glass																																				
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																				
IP Grade	IP66																																				
Color	Green/Rose Gold																																				
QTY/CTN	5pcs																																				
Master Carton Dimension	Lamp body size:39.5*33.5*33cm Solar panel																																				
G.W/Pcs	5kg																																				
Warranty	3 years																																				
11	RNSOLAR-011A	 RNSOLAR-011A	<table><tr><td>Solar Panel</td><td>(6V 25W Solar panel)*530*350mm</td></tr><tr><td>Battery</td><td>3.7V 17600MAH battery</td></tr><tr><td>LED Power</td><td>150w</td></tr><tr><td>Lamp Beads</td><td>192Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>5pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:34.5*34.5*41cm Solar panel</td></tr><tr><td>G.W/Pcs</td><td>7kg</td></tr><tr><td>Warranty</td><td>3 years</td></tr></table>	Solar Panel	(6V 25W Solar panel)*530*350mm	Battery	3.7V 17600MAH battery	LED Power	150w	Lamp Beads	192Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-14H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	5pcs	Master Carton Dimension	Lamp body size:34.5*34.5*41cm Solar panel	G.W/Pcs	7kg	Warranty	3 years	1set	37.50		
Solar Panel	(6V 25W Solar panel)*530*350mm																																				
Battery	3.7V 17600MAH battery																																				
LED Power	150w																																				
Lamp Beads	192Highlight SMD Lamp Beads																																				
Charging Time	4-5H																																				
Working Time	12-14H																																				
Color Temperature	Nature White-6000-6500K																																				
Main Material	Die-casting aluminum+tempered glass																																				
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																				
IP Grade	IP66																																				
Color	Green/Rose Gold																																				
QTY/CTN	5pcs																																				
Master Carton Dimension	Lamp body size:34.5*34.5*41cm Solar panel																																				
G.W/Pcs	7kg																																				
Warranty	3 years																																				
12	RNSOLAR-012A	 RNSOLAR-012A	<table><tr><td>Solar Panel</td><td>(10V 40W Solar panel)*450*670mm</td></tr><tr><td>Battery</td><td>3.7V 40000MAH battery</td></tr><tr><td>LED Power</td><td>200w</td></tr><tr><td>Lamp Beads</td><td>300Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-16H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>5pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:34.5*34.5*41cm Solar panel</td></tr><tr><td>G.W/Pcs</td><td>8kg</td></tr><tr><td>Warranty</td><td>2 years</td></tr><tr><td>Solar Panel</td><td>(9v 12W Solar panel)*350*235mm</td></tr></table>	Solar Panel	(10V 40W Solar panel)*450*670mm	Battery	3.7V 40000MAH battery	LED Power	200w	Lamp Beads	300Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-16H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	5pcs	Master Carton Dimension	Lamp body size:34.5*34.5*41cm Solar panel	G.W/Pcs	8kg	Warranty	2 years	Solar Panel	(9v 12W Solar panel)*350*235mm	1set	57.50
Solar Panel	(10V 40W Solar panel)*450*670mm																																				
Battery	3.7V 40000MAH battery																																				
LED Power	200w																																				
Lamp Beads	300Highlight SMD Lamp Beads																																				
Charging Time	4-5H																																				
Working Time	12-16H																																				
Color Temperature	Nature White-6000-6500K																																				
Main Material	Die-casting aluminum+tempered glass																																				
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																				
IP Grade	IP66																																				
Color	Green/Rose Gold																																				
QTY/CTN	5pcs																																				
Master Carton Dimension	Lamp body size:34.5*34.5*41cm Solar panel																																				
G.W/Pcs	8kg																																				
Warranty	2 years																																				
Solar Panel	(9v 12W Solar panel)*350*235mm																																				

13	RNSOLAR-013A		RNSOLAR-013A	<table><tr><td>Battery</td><td>6.4V 4000MAH battery</td></tr><tr><td>Power</td><td>20w</td></tr><tr><td>Lamp Beads</td><td>50Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-16H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Black</td></tr><tr><td>QTY/CTN</td><td>10pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:18.1*15.8*5cmcm Solar panel 350*235*17mm</td></tr><tr><td>G.W/Pcs</td><td>22.5kg</td></tr><tr><td>Warranty</td><td>2 years</td></tr></table>	Battery	6.4V 4000MAH battery	Power	20w	Lamp Beads	50Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-16H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Black	QTY/CTN	10pcs	Master Carton Dimension	Lamp body size:18.1*15.8*5cmcm Solar panel 350*235*17mm	G.W/Pcs	22.5kg	Warranty	2 years	1set	16.50		
Battery	6.4V 4000MAH battery																																			
Power	20w																																			
Lamp Beads	50Highlight SMD Lamp Beads																																			
Charging Time	4-5H																																			
Working Time	12-16H																																			
Color Temperature	Nature White-6000-6500K																																			
Main Material	Die-casting aluminum+tempered glass																																			
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																			
IP Grade	IP66																																			
Color	Black																																			
QTY/CTN	10pcs																																			
Master Carton Dimension	Lamp body size:18.1*15.8*5cmcm Solar panel 350*235*17mm																																			
G.W/Pcs	22.5kg																																			
Warranty	2 years																																			
14	RNSOLAR-014A		RNSOLAR-014A	<table><tr><td>Solar Panel</td><td>(10V 18W Solar panel)*370*305mm</td></tr><tr><td>Battery</td><td>6.4V 6000MAH battery</td></tr><tr><td>LED Power</td><td>40w</td></tr><tr><td>Lamp Beads</td><td>100Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-16H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Black</td></tr><tr><td>QTY/CTN</td><td>8pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:19.6*17.2*5.2cm Solar panel</td></tr><tr><td>G.W/Pcs</td><td>23kg</td></tr><tr><td>Warranty</td><td>2 years</td></tr></table>	Solar Panel	(10V 18W Solar panel)*370*305mm	Battery	6.4V 6000MAH battery	LED Power	40w	Lamp Beads	100Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-16H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Black	QTY/CTN	8pcs	Master Carton Dimension	Lamp body size:19.6*17.2*5.2cm Solar panel	G.W/Pcs	23kg	Warranty	2 years	1set	20.50
Solar Panel	(10V 18W Solar panel)*370*305mm																																			
Battery	6.4V 6000MAH battery																																			
LED Power	40w																																			
Lamp Beads	100Highlight SMD Lamp Beads																																			
Charging Time	4-5H																																			
Working Time	12-16H																																			
Color Temperature	Nature White-6000-6500K																																			
Main Material	Die-casting aluminum+tempered glass																																			
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																			
IP Grade	IP66																																			
Color	Black																																			
QTY/CTN	8pcs																																			
Master Carton Dimension	Lamp body size:19.6*17.2*5.2cm Solar panel																																			
G.W/Pcs	23kg																																			
Warranty	2 years																																			
15	RNSOLAR-015A		RNSOLAR-015A	<table><tr><td>Solar Panel</td><td>(10V 22W Solar panel)420*370mm</td></tr><tr><td>Battery</td><td>6.4V 9000MAH battery</td></tr><tr><td>LED Power</td><td>60w</td></tr><tr><td>Lamp Beads</td><td>120Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-16H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Black</td></tr><tr><td>QTY/CTN</td><td>4pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:19.6*17.2*5.2cm Solar panel</td></tr><tr><td>G.W/Pcs</td><td>16.5kg</td></tr><tr><td>Warranty</td><td>2 years</td></tr></table>	Solar Panel	(10V 22W Solar panel)420*370mm	Battery	6.4V 9000MAH battery	LED Power	60w	Lamp Beads	120Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-16H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Black	QTY/CTN	4pcs	Master Carton Dimension	Lamp body size:19.6*17.2*5.2cm Solar panel	G.W/Pcs	16.5kg	Warranty	2 years	1set	26.00
Solar Panel	(10V 22W Solar panel)420*370mm																																			
Battery	6.4V 9000MAH battery																																			
LED Power	60w																																			
Lamp Beads	120Highlight SMD Lamp Beads																																			
Charging Time	4-5H																																			
Working Time	12-16H																																			
Color Temperature	Nature White-6000-6500K																																			
Main Material	Die-casting aluminum+tempered glass																																			
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																			
IP Grade	IP66																																			
Color	Black																																			
QTY/CTN	4pcs																																			
Master Carton Dimension	Lamp body size:19.6*17.2*5.2cm Solar panel																																			
G.W/Pcs	16.5kg																																			
Warranty	2 years																																			
16	RNSOLAR-016A		RNSOLAR-016A	<table><tr><td>Solar Panel</td><td>(10V 32W Solar panel)600*.350mm</td></tr><tr><td>Battery</td><td>6.4V 9000MAH battery</td></tr><tr><td>LED Power</td><td>60w</td></tr><tr><td>Lamp Beads</td><td>120Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-16H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Black</td></tr><tr><td>QTY/CTN</td><td>4pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:19.6*17.2*5.2cm Solar panel</td></tr><tr><td>G.W/Pcs</td><td>23kg</td></tr><tr><td>Warranty</td><td>2 years</td></tr></table>	Solar Panel	(10V 32W Solar panel)600*.350mm	Battery	6.4V 9000MAH battery	LED Power	60w	Lamp Beads	120Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-16H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Black	QTY/CTN	4pcs	Master Carton Dimension	Lamp body size:19.6*17.2*5.2cm Solar panel	G.W/Pcs	23kg	Warranty	2 years	1set	34.00
Solar Panel	(10V 32W Solar panel)600*.350mm																																			
Battery	6.4V 9000MAH battery																																			
LED Power	60w																																			
Lamp Beads	120Highlight SMD Lamp Beads																																			
Charging Time	4-5H																																			
Working Time	12-16H																																			
Color Temperature	Nature White-6000-6500K																																			
Main Material	Die-casting aluminum+tempered glass																																			
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																			
IP Grade	IP66																																			
Color	Black																																			
QTY/CTN	4pcs																																			
Master Carton Dimension	Lamp body size:19.6*17.2*5.2cm Solar panel																																			
G.W/Pcs	23kg																																			
Warranty	2 years																																			
17	RNSOLAR-017A		RNSOLAR-017A	<table><tr><td>Solar Panel</td><td>(10V 40W Solar panel)650*350mm</td></tr><tr><td>Battery</td><td>6.4V 20000MAH battery</td></tr><tr><td>LED Power</td><td>200w</td></tr><tr><td>Lamp Beads</td><td>300Highlight SMD Lamp Beads</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-16H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Black</td></tr><tr><td>QTY/CTN</td><td>4pcs</td></tr><tr><td>Master Carton Dimension</td><td>Lamp body size:19.6*17.2*5.2cm Solar panel</td></tr><tr><td>G.W/Pcs</td><td>26.5kg</td></tr><tr><td>Warranty</td><td>2 years</td></tr></table>	Solar Panel	(10V 40W Solar panel)650*350mm	Battery	6.4V 20000MAH battery	LED Power	200w	Lamp Beads	300Highlight SMD Lamp Beads	Charging Time	4-5H	Working Time	12-16H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Black	QTY/CTN	4pcs	Master Carton Dimension	Lamp body size:19.6*17.2*5.2cm Solar panel	G.W/Pcs	26.5kg	Warranty	2 years	1set	55.50
Solar Panel	(10V 40W Solar panel)650*350mm																																			
Battery	6.4V 20000MAH battery																																			
LED Power	200w																																			
Lamp Beads	300Highlight SMD Lamp Beads																																			
Charging Time	4-5H																																			
Working Time	12-16H																																			
Color Temperature	Nature White-6000-6500K																																			
Main Material	Die-casting aluminum+tempered glass																																			
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																			
IP Grade	IP66																																			
Color	Black																																			
QTY/CTN	4pcs																																			
Master Carton Dimension	Lamp body size:19.6*17.2*5.2cm Solar panel																																			
G.W/Pcs	26.5kg																																			
Warranty	2 years																																			
18	RNSOLAR-018A		RNSOLAR-018A	<table><tr><td>Solar Panel</td><td>5V 8W Mono 285*310*25mm</td></tr><tr><td>Battery</td><td>3.2V 5500MAH LifePO4 battery</td></tr><tr><td>LED Power</td><td>20w</td></tr><tr><td>Lamp Beads</td><td>300LM</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>12-16H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>10pcs</td></tr><tr><td>Master Carton Dimension</td><td>372*352*410mm</td></tr><tr><td>G.W/Pcs</td><td>26.5KG</td></tr><tr><td>Warranty</td><td>2 years</td></tr></table>	Solar Panel	5V 8W Mono 285*310*25mm	Battery	3.2V 5500MAH LifePO4 battery	LED Power	20w	Lamp Beads	300LM	Charging Time	4-5H	Working Time	12-16H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	10pcs	Master Carton Dimension	372*352*410mm	G.W/Pcs	26.5KG	Warranty	2 years	1set	20.00
Solar Panel	5V 8W Mono 285*310*25mm																																			
Battery	3.2V 5500MAH LifePO4 battery																																			
LED Power	20w																																			
Lamp Beads	300LM																																			
Charging Time	4-5H																																			
Working Time	12-16H																																			
Color Temperature	Nature White-6000-6500K																																			
Main Material	Die-casting aluminum+tempered glass																																			
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																			
IP Grade	IP66																																			
Color	Green/Rose Gold																																			
QTY/CTN	10pcs																																			
Master Carton Dimension	372*352*410mm																																			
G.W/Pcs	26.5KG																																			
Warranty	2 years																																			
				<table><tr><td>Solar Panel</td><td>5V 16W Mono 310*340*25mm</td></tr><tr><td>Battery</td><td>3.2V 11000MAH LifePO4 battery</td></tr><tr><td>LED Power</td><td>30W</td></tr><tr><td>Lamp Beads</td><td>600LM</td></tr></table>	Solar Panel	5V 16W Mono 310*340*25mm	Battery	3.2V 11000MAH LifePO4 battery	LED Power	30W	Lamp Beads	600LM																								
Solar Panel	5V 16W Mono 310*340*25mm																																			
Battery	3.2V 11000MAH LifePO4 battery																																			
LED Power	30W																																			
Lamp Beads	600LM																																			

19	RNSOLAR-019A	 RNSOLAR-019A	<table><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>10-20H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>8pcs</td></tr><tr><td>Master Carton</td><td>560*370*332mm</td></tr><tr><td>G.W/Pcs</td><td>3.25KG</td></tr><tr><td>Warranty</td><td>2 years</td></tr></table>	Charging Time	4-5H	Working Time	10-20H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	8pcs	Master Carton	560*370*332mm	G.W/Pcs	3.25KG	Warranty	2 years	1set	27.00								
Charging Time	4-5H																																		
Working Time	10-20H																																		
Color Temperature	Nature White-6000-6500K																																		
Main Material	Die-casting aluminum+tempered glass																																		
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																		
IP Grade	IP66																																		
Color	Green/Rose Gold																																		
QTY/CTN	8pcs																																		
Master Carton	560*370*332mm																																		
G.W/Pcs	3.25KG																																		
Warranty	2 years																																		
20	RNSOLAR-020A	 RNSOLAR-020A	<table><tr><td>Solar Panel</td><td>5V 24W Mono 440*340*25mm</td></tr><tr><td>Battery</td><td>3.2V 3*5500MAH LifePO4 battery</td></tr><tr><td>LED Power</td><td>50W</td></tr><tr><td>Lamp Beads</td><td>1200LM</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>10-20H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Blue/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>5pcs</td></tr><tr><td>Master Carton</td><td>500*395*365mm 27KG/CTN</td></tr><tr><td>G.W/Pcs</td><td>5.5KG</td></tr><tr><td>Warranty</td><td>2 years</td></tr></table>	Solar Panel	5V 24W Mono 440*340*25mm	Battery	3.2V 3*5500MAH LifePO4 battery	LED Power	50W	Lamp Beads	1200LM	Charging Time	4-5H	Working Time	10-20H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Blue/Rose Gold	QTY/CTN	5pcs	Master Carton	500*395*365mm 27KG/CTN	G.W/Pcs	5.5KG	Warranty	2 years	1set	33.00
Solar Panel	5V 24W Mono 440*340*25mm																																		
Battery	3.2V 3*5500MAH LifePO4 battery																																		
LED Power	50W																																		
Lamp Beads	1200LM																																		
Charging Time	4-5H																																		
Working Time	10-20H																																		
Color Temperature	Nature White-6000-6500K																																		
Main Material	Die-casting aluminum+tempered glass																																		
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																		
IP Grade	IP66																																		
Color	Blue/Rose Gold																																		
QTY/CTN	5pcs																																		
Master Carton	500*395*365mm 27KG/CTN																																		
G.W/Pcs	5.5KG																																		
Warranty	2 years																																		
21	RNSOLAR-021A	 RNSOLAR-021A	<table><tr><td>Solar Panel</td><td>(5V 24W Mono)*2pcs 440*340*25mm</td></tr><tr><td>Battery</td><td>3.2V 6*5500MAH LifePO4 battery</td></tr><tr><td>LED Power</td><td>100w</td></tr><tr><td>Lamp Beads</td><td>1800LM</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>10-20H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP66</td></tr><tr><td>Color</td><td>Green/Rose Gold</td></tr><tr><td>QTY/CTN</td><td>4pcs</td></tr><tr><td>Master Carton</td><td>547*460*360mm</td></tr><tr><td>G.W/Pcs</td><td>9KG</td></tr></table>	Solar Panel	(5V 24W Mono)*2pcs 440*340*25mm	Battery	3.2V 6*5500MAH LifePO4 battery	LED Power	100w	Lamp Beads	1800LM	Charging Time	4-5H	Working Time	10-20H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP66	Color	Green/Rose Gold	QTY/CTN	4pcs	Master Carton	547*460*360mm	G.W/Pcs	9KG	1set	54.00		
Solar Panel	(5V 24W Mono)*2pcs 440*340*25mm																																		
Battery	3.2V 6*5500MAH LifePO4 battery																																		
LED Power	100w																																		
Lamp Beads	1800LM																																		
Charging Time	4-5H																																		
Working Time	10-20H																																		
Color Temperature	Nature White-6000-6500K																																		
Main Material	Die-casting aluminum+tempered glass																																		
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																		
IP Grade	IP66																																		
Color	Green/Rose Gold																																		
QTY/CTN	4pcs																																		
Master Carton	547*460*360mm																																		
G.W/Pcs	9KG																																		
22	RNSOLAR-022A	 RNSOLAR-022A	<table><tr><td>Solar Panel</td><td>10V 30W Mono) 600*350*17mm</td></tr><tr><td>Battery</td><td>3.2V 40000MAH LifePO4 battery</td></tr><tr><td>LED Power</td><td>200w</td></tr><tr><td>Lamp Beads</td><td>1800LM</td></tr><tr><td>Charging Time</td><td>4-5H</td></tr><tr><td>Working Time</td><td>10-20H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP67</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>QTY/CTN</td><td></td></tr><tr><td>Master Carton</td><td></td></tr><tr><td>G.W/Pcs</td><td>4.2KG</td></tr></table>	Solar Panel	10V 30W Mono) 600*350*17mm	Battery	3.2V 40000MAH LifePO4 battery	LED Power	200w	Lamp Beads	1800LM	Charging Time	4-5H	Working Time	10-20H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP67	Color	BLACK	QTY/CTN		Master Carton		G.W/Pcs	4.2KG	1set	46.50		
Solar Panel	10V 30W Mono) 600*350*17mm																																		
Battery	3.2V 40000MAH LifePO4 battery																																		
LED Power	200w																																		
Lamp Beads	1800LM																																		
Charging Time	4-5H																																		
Working Time	10-20H																																		
Color Temperature	Nature White-6000-6500K																																		
Main Material	Die-casting aluminum+tempered glass																																		
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																		
IP Grade	IP67																																		
Color	BLACK																																		
QTY/CTN																																			
Master Carton																																			
G.W/Pcs	4.2KG																																		
23	RNSOLAR-023A	 RNSOLAR-023A	<table><tr><td>Solar Panel</td><td>9V40W Mono) 670*445*25mm</td></tr><tr><td>Battery</td><td>3.2V 55000MAH LifePO4 battery</td></tr><tr><td>LED Power</td><td>300W</td></tr><tr><td>Lamp Beads</td><td>200LM/W</td></tr><tr><td>Charging Time</td><td>4-6H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000-6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP67</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>QTY/CTN</td><td></td></tr><tr><td>Master Carton</td><td></td></tr><tr><td>G.W/Pcs</td><td></td></tr></table>	Solar Panel	9V40W Mono) 670*445*25mm	Battery	3.2V 55000MAH LifePO4 battery	LED Power	300W	Lamp Beads	200LM/W	Charging Time	4-6H	Working Time	12-14H	Color Temperature	Nature White-6000-6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP67	Color	BLACK	QTY/CTN		Master Carton		G.W/Pcs		1set	58.00		
Solar Panel	9V40W Mono) 670*445*25mm																																		
Battery	3.2V 55000MAH LifePO4 battery																																		
LED Power	300W																																		
Lamp Beads	200LM/W																																		
Charging Time	4-6H																																		
Working Time	12-14H																																		
Color Temperature	Nature White-6000-6500K																																		
Main Material	Die-casting aluminum+tempered glass																																		
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																		
IP Grade	IP67																																		
Color	BLACK																																		
QTY/CTN																																			
Master Carton																																			
G.W/Pcs																																			
			<table><tr><td>Solar Panel</td><td>9V50W Mono) 670*530*25mm</td></tr></table>	Solar Panel	9V50W Mono) 670*530*25mm																														
Solar Panel	9V50W Mono) 670*530*25mm																																		

24	RNSOLAR-024A		<table><tr><td>Battery</td><td>3.2V 70AH LifePO4 battery</td></tr><tr><td>LED Power</td><td>400W</td></tr><tr><td>Lamp Beads</td><td>200L/M/W</td></tr><tr><td>Charging Time</td><td>4-6H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000~6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP67</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>QTY/CTN</td><td></td></tr><tr><td>Master Carton</td><td></td></tr><tr><td>G.W/Pcs</td><td>8.5KG</td></tr></table>	Battery	3.2V 70AH LifePO4 battery	LED Power	400W	Lamp Beads	200L/M/W	Charging Time	4-6H	Working Time	12-14H	Color Temperature	Nature White-6000~6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP67	Color	BLACK	QTY/CTN		Master Carton		G.W/Pcs	8.5KG	1set	72.00		
Battery	3.2V 70AH LifePO4 battery																																
LED Power	400W																																
Lamp Beads	200L/M/W																																
Charging Time	4-6H																																
Working Time	12-14H																																
Color Temperature	Nature White-6000~6500K																																
Main Material	Die-casting aluminum+tempered glass																																
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																
IP Grade	IP67																																
Color	BLACK																																
QTY/CTN																																	
Master Carton																																	
G.W/Pcs	8.5KG																																
25	RNSOLAR-025A		<table><tr><td>Solar Panel</td><td>9V12W Mono 370*305mm</td></tr><tr><td>Battery</td><td>3.2V 70AH LifePO battery</td></tr><tr><td>LED Power</td><td>60w 108Particle</td></tr><tr><td>Lamp Beads</td><td>200L/M/W</td></tr><tr><td>Charging Time</td><td>4-6H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000~6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP67</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>QTY/CTN</td><td>6pcs</td></tr><tr><td>Master Carton</td><td>71*36*43.5cm</td></tr><tr><td>G.W/Pcs</td><td>21kg</td></tr></table>	Solar Panel	9V12W Mono 370*305mm	Battery	3.2V 70AH LifePO battery	LED Power	60w 108Particle	Lamp Beads	200L/M/W	Charging Time	4-6H	Working Time	12-14H	Color Temperature	Nature White-6000~6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP67	Color	BLACK	QTY/CTN	6pcs	Master Carton	71*36*43.5cm	G.W/Pcs	21kg	1set	28.00
Solar Panel	9V12W Mono 370*305mm																																
Battery	3.2V 70AH LifePO battery																																
LED Power	60w 108Particle																																
Lamp Beads	200L/M/W																																
Charging Time	4-6H																																
Working Time	12-14H																																
Color Temperature	Nature White-6000~6500K																																
Main Material	Die-casting aluminum+tempered glass																																
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																
IP Grade	IP67																																
Color	BLACK																																
QTY/CTN	6pcs																																
Master Carton	71*36*43.5cm																																
G.W/Pcs	21kg																																
26	RNSOLAR-026A		<table><tr><td>Solar Panel</td><td>9V18W Mono 370*420mm</td></tr><tr><td>Battery</td><td>3.2V 18AH LifePO battery</td></tr><tr><td>LED Power</td><td>100w 176Particle</td></tr><tr><td>Lamp Beads</td><td>200L/M/W</td></tr><tr><td>Charging Time</td><td>4-6H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000~6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP67</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>QTY/CTN</td><td>5pcs</td></tr><tr><td>Master Carton</td><td>59.5*42.5*48.5cm</td></tr><tr><td>G.W/Pcs</td><td>23kg</td></tr></table>	Solar Panel	9V18W Mono 370*420mm	Battery	3.2V 18AH LifePO battery	LED Power	100w 176Particle	Lamp Beads	200L/M/W	Charging Time	4-6H	Working Time	12-14H	Color Temperature	Nature White-6000~6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP67	Color	BLACK	QTY/CTN	5pcs	Master Carton	59.5*42.5*48.5cm	G.W/Pcs	23kg	1set	33.00
Solar Panel	9V18W Mono 370*420mm																																
Battery	3.2V 18AH LifePO battery																																
LED Power	100w 176Particle																																
Lamp Beads	200L/M/W																																
Charging Time	4-6H																																
Working Time	12-14H																																
Color Temperature	Nature White-6000~6500K																																
Main Material	Die-casting aluminum+tempered glass																																
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																
IP Grade	IP67																																
Color	BLACK																																
QTY/CTN	5pcs																																
Master Carton	59.5*42.5*48.5cm																																
G.W/Pcs	23kg																																
27	RNSOLAR-027A		<table><tr><td>Solar Panel</td><td>9V25W Mono 530*350mm</td></tr><tr><td>Battery</td><td>3.2V 24AH LifePO battery</td></tr><tr><td>LED Power</td><td>150w 216Particle</td></tr><tr><td>Lamp Beads</td><td>200L/M/W</td></tr><tr><td>Charging Time</td><td>4-6H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000~6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP67</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>QTY/CTN</td><td>4pcs</td></tr><tr><td>Master Carton</td><td>48*40.5*59.5cm</td></tr><tr><td>G.W/Pcs</td><td>20kg</td></tr></table>	Solar Panel	9V25W Mono 530*350mm	Battery	3.2V 24AH LifePO battery	LED Power	150w 216Particle	Lamp Beads	200L/M/W	Charging Time	4-6H	Working Time	12-14H	Color Temperature	Nature White-6000~6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP67	Color	BLACK	QTY/CTN	4pcs	Master Carton	48*40.5*59.5cm	G.W/Pcs	20kg	1set	40.50
Solar Panel	9V25W Mono 530*350mm																																
Battery	3.2V 24AH LifePO battery																																
LED Power	150w 216Particle																																
Lamp Beads	200L/M/W																																
Charging Time	4-6H																																
Working Time	12-14H																																
Color Temperature	Nature White-6000~6500K																																
Main Material	Die-casting aluminum+tempered glass																																
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																
IP Grade	IP67																																
Color	BLACK																																
QTY/CTN	4pcs																																
Master Carton	48*40.5*59.5cm																																
G.W/Pcs	20kg																																
28	RNSOLAR-028A		<table><tr><td>Solar Panel</td><td>6V30W Mono 600*350mm</td></tr><tr><td>Battery</td><td>3.2V 30AH LifePO battery</td></tr><tr><td>LED Power</td><td>200W 360Particle</td></tr><tr><td>Lamp Beads</td><td>200L/M/W</td></tr><tr><td>Charging Time</td><td>4-6H</td></tr><tr><td>Working Time</td><td>12-14H</td></tr><tr><td>Color Temperature</td><td>Nature White-6000~6500K</td></tr><tr><td>Main Material</td><td>Die-casting aluminum+tempered glass</td></tr><tr><td>Working Mode</td><td>Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting</td></tr><tr><td>IP Grade</td><td>IP67</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>QTY/CTN</td><td>4pcs</td></tr><tr><td>Master Carton</td><td>52*41.5*72.5cm</td></tr></table>	Solar Panel	6V30W Mono 600*350mm	Battery	3.2V 30AH LifePO battery	LED Power	200W 360Particle	Lamp Beads	200L/M/W	Charging Time	4-6H	Working Time	12-14H	Color Temperature	Nature White-6000~6500K	Main Material	Die-casting aluminum+tempered glass	Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting	IP Grade	IP67	Color	BLACK	QTY/CTN	4pcs	Master Carton	52*41.5*72.5cm	1set	51.00		
Solar Panel	6V30W Mono 600*350mm																																
Battery	3.2V 30AH LifePO battery																																
LED Power	200W 360Particle																																
Lamp Beads	200L/M/W																																
Charging Time	4-6H																																
Working Time	12-14H																																
Color Temperature	Nature White-6000~6500K																																
Main Material	Die-casting aluminum+tempered glass																																
Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting																																
IP Grade	IP67																																
Color	BLACK																																
QTY/CTN	4pcs																																
Master Carton	52*41.5*72.5cm																																

		RNSOLAR-028A	G.W/Pcs	24kg		
29	RNSOLAR-029A		Solar Panel	6V35W Mono 650*350mm	1set	55.50
			Battery	3.2V 36AH LifePO battery		
			LED Power	200W 360Particle		
			Lamp Beads	200LM/W		
			Charging Time	4-6H		
			Working Time	12-14H		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	BLACK		
			QTY/CTN	4pcs		
			Master Carton	52*41.5*72.5cm		
		RNSOLAR-029A	G.W/Pcs	26kg		
30	RNSOLAR-030A		Solar Panel	6V8W Mono 235*350mm	1set	23.00
			Battery	3.2V 6AH LifePO battery		
			LED Power	50W 96Particle		
			Lamp Beads	200LM/W		
			Charging Time	4-6H		
			Working Time	12-14H		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	white		
			QTY/CTN	8pcs		
			Master Carton	490*325*480		
		RNSOLAR-030A	G.W/Pcs	21kg		
31	RNSOLAR-031A		Solar Panel	6V12W Mono 290*350mm	1set	28.00
			Battery	3.2V 12AH LifePO battery		
			LED Power	100W 96Particle		
			Lamp Beads	200LM/W		
			Charging Time	4-6H		
			Working Time	12-14H		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	white		
			QTY/CTN	8pcs		
			Master Carton	430*420*325		
		RNSOLAR-031A	G.W/Pcs	22kg		
32	RNSOLAR-032A		Solar Panel	6V25W Mono 460*350mm Monocrystalline silicon	1set	35.50
			Battery	3.2V 20AH LifePO battery		
			LED Power	150W 96Particle		
			Lamp Beads	200LM/W		
			Charging Time	4-6H		
			Working Time	12-14H		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H Lighting		
			IP Grade	IP67		
			Color	white		
			QTY/CTN	6pcs		
			Master Carton	430*420*325		
		RNSOLAR-032A	G.W/Pcs	22kg		