

XIAMEN RINENG SOLAR ENERGY TECHNOLOGY

ADDRESS: ROOM 1002, NO.290 TAIWAN STREET, HULI, XIAMEN CITY, CHINA pc: 361009
RN689@RINENGSOALR.COM WWW.RINENGSOALR.COM

2.toothbrush street light price list

XIAMEN EXW PRICE(USD/set)

序号	型号	PHOTOS			Quantity	usd/set
2	RNSOLAR-001B		Solar Panel	6V10W Solar panel: 350*235*17mm	1set	19.50
			Battery	3.2V 6000MAH LifePO4 battery		
			LED Power	30W		
			LED Lumen	3000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	54die-cast aluminum		
			Color	IP65		
			QTY/CTN	black		
			Master Carton	1pcs		
			G.W/Pcs	41*49*19 cm		
			Warranty	4.5kg		
3	RNSOLAR-002B		Solar Panel	6V18W Solar panel: 350*430*17mm	1set	29.50
			Battery	3.2V 18000MAH LifePO4 battery		
			LED Power	50w		
			LED Lumen	6000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	112die-cast aluminum		
			Color	IP65		
			QTY/CTN	black		
			Master Carton	1pcs		
			G.W/Pcs	67*40*23 cm		
			Warranty	6kg		
4	RNSOLAR-003B		Solar Panel	6V25W Solar panel: 350*530*17mm	1set	32.50
			Battery	3.2V 24000MAH LifePO4 battery		
			LED Power	100w		
			LED Lumen	12000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	154die-cast aluminum		
			Color	IP65		
			QTY/CTN	black		
			Master Carton	1pcs		
			G.W/Pcs	67*40*23 cm		
			Warranty	8kg		

5	RNSOLAR-004B	 RNSOLAR-004B	Solar Panel	6V30W Solar panel: 350*670*20mm	1set	42.00
			Battery	3.2V30000MAH LifePO4 battery		
			LED Power	150w		
			LED Lumen	16000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	307die-cast aluminum		
			Color	IP65		
			QTY/CTN	black		
			Master Carton	1pcs		
			G.W/Pcs	71.5*39.5*23.5 cm		
			Warranty	8.5kg		
6	RNSOLAR-005B	 RNSOLAR-005B	Solar Panel	10V40W Solar panel: 510*540*20mm	1set	43.00
			Battery	6.4V35000MAH LifePO4 battery		
			LED Power	200w		
			LED Lumen	20000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	400die-cast aluminum		
			Color	IP65		
			QTY/CTN	black		
			Master Carton	1pcs		
			Dimension			
			G.W/Pcs	71.5*39.5*23.5 cm		
			Warranty	9kg		
7	RNSOLAR-006B	 RNSOLAR-006B	Solar Panel	10V40W Solar panel: 510*540*20mm	1set	51.00
			Battery	6.4V38000MAH LifePO4 battery		
			LED Power	300w		
			LED Lumen	20000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	552die-cast aluminum		
			Color	IP65		
			QTY/CTN	black		
			Master Carton	1pcs		
			G.W/Pcs	71.5*39.5*23.5 cm		
			Warranty	9kg		
8	RNSOLAR-007B	 RNSOLAR-007B	Solar Panel	10V35W Polycrystalline 350*670*20mm	1set	63.00
			Battery	6.4V18000MAH LifePO4 battery		
			LED Power	15w		
			LED Lumen	1500LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	50die-cast aluminum		
			Color	IP65		
			QTY/CTN	Green/Rose Gold		
			Master Carton	1pcs		

9	RNSOLAR-008B	产品型号：RSP-020 功率：40W 充电时间：20H 太阳能板：10V/40W LED功率：50W/2000LM LED电压：3.2V 铁壳 LED电压：5000 LED电压：1500平方 LED电压：1500平方 LED电压：1500平方 LED电压：1500平方  RNSOLAR-008B	Solar Panel	10V40W Solar panel: 510*540*20mm	1set	76.00
			Battery	6.4V40000MAH LifePO4 battery		
			LED Power	20w		
			LED Lumen	2000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	50die-cast aluminum		
			Color	IP65		
			QTY/CTN	Green/Rose Gold		
			Master Carton	1pcs		
			G.W/Pcs	71.5*39.5*23.5 cm		
			Warranty	8kg		
9	RNSOLAR-009B	 RNSOLAR-009B	Solar Panel	10V18W Solar panel: 420*350*17mm	1set	35.00
			Battery	6.4V15000MAH LifePO battery		
			LED Power	60w		
			LED Lumen	2000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	1die-cast aluminum		
			Color	IP65		
			QTY/CTN	Green/Rose Gold		
			Master Carton	1pcs		
			G.W/Pcs			
			Warranty	8kg		
9	RNSOLAR-010B	 RNSOLAR-010B	Solar Panel	10V40W Solar panel: 630*350*20mm	1set	50.00
			Battery	6.4V15000MAH LifePO battery		
			LED Power	100w		
			LED Lumen	2000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	2die-cast aluminum		
			Color	IP65		
			QTY/CTN	Green/Rose Gold		
			Master Carton	1pcs		
			G.W/Pcs			
			Warranty	8kg		
10	RNSOLAR-011B	 RNSOLAR-011B	Solar Panel	10V18W Solar panel: 360*400*17mm	1set	32.50
			Battery	3.2V15000MAH LifePO battery		
			LED Power	50w		
			LED Lumen	2000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	140die-cast aluminum		
			Color	IP65		
			QTY/CTN	white		
			Master Carton			
			G.W/Pcs			
			Warranty			

11	RNSOLAR-012B	 RNSOLAR-012B	Solar Panel	10V30W Solar panel: 530*350*17mm	1set	40.00
			Battery	3.2V24000MAH LifePO battery		
			LED Power	100w		
			LED Lumen	2000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	140die-cast aluminum		
			Color	IP65		
			QTY/CTN	white		
			Master Carton			
			G.W/Pcs			
			Warranty	7.5kg		
12	RNSOLAR-013B	 RNSOLAR-013B	Solar Panel	10V35W Solar panel: 650*350*17mm	1set	60.00
			Battery	3.2V30000MAH LifePO battery		
			LED Power	200w		
			LED Lumen	2000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	332die-cast aluminum		
			Color	IP67		
			QTY/CTN	white		
			Master Carton	1pcs		
			Dimension			
			G.W/Pcs	71*41*17cm		
			Warranty	8kg		
12	RNSOLAR-014B	 RNSOLAR-014B	Solar Panel	10V35W Solar panel: 650*350*17mm	1set	65.50
			Battery	3.2V35000MAH LifePO battery		
			LED Power	300w		
			LED Lumen	2000LM		
			Charging Time	4-5H		
			Working Time	12-14Hr		
			Color Temperature	Nature White-6000-6500K		
			Main Material	Die-casting aluminum+tempered glass		
			Working Mode	Sensor+Half Sensor+Full Lighting+Half Lighting+3H Lighting+5H Lighting+8H		
			IP Grade	332die-cast aluminum		
			Color	IP67		
			QTY/CTN	white		
			Master Carton	1pcs		
			Dimension			
			G.W/Pcs	71*41*17cm		
			Warranty	9kg		